Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0324-0012895
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0324-IEMU-0004116
Unit Weight: 30.0000g , Sample Size for Testing: 30.0000 g
Batch#: 10010274
MMTC Information
Cultivation Facility: , Processing Facility:

Water Soluble 300mg Nano Cherry Limeade

Ingestible, Emulsion




Results

360 mg/unit CBD	
360 mg/unit Total CBD	**0 mg/unit** Total THC
360 mg/unit Total Cannabinoids	**0.14%** Total Terpenes

Tests Summary

Cannabinoids Tested	**Moisture** Not Tested	**Microbials** Pass
Water Activity Tested	**Foreign Matter** Pass	**Homogeneity** Not Tested
Terpenes Tested	**Contaminant Load** Not Tested	**Residual Solvents** Pass
Mycotoxins Pass	**Heavy Metals** Pass	**Pesticides** Pass
Label Claim Not Tested		

Dominant Terpenes



ACCREDITED CERT #7425.05 TRUST IN TESTING

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0324-0012895
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0324-IEMU-0004116
Unit Weight: 30.0000g , Sample Size for Testing: 30.0000 g
Batch#: 10010274
MMTC Information
Cultivation Facility: , Processing Facility:

Water Soluble 300mg Nano Cherry Limeade
Ingestible, Emulsion

Cannabinoids

Tested

Sample Prep
Tech: 3358, 4509
SOP: SOP 801
Batch Number: WCNDFL-FL0403-0006155
Batch Date: 04/03/2026 14:02

Sample Analysis
Date/Time: 04/06/2026 12:30
Tech: 4509
SOP: SOP 801
Instrument: HPLC - 3012
Final Weight: 0.508 g
Dilution Factor for Sample: 1,040

Analyte	LOD (mg/g)	LOQ (mg/g)	%	mg/g	mg/unit
CBDV	0.02046	1.02302	ND	ND	ND
CBDa	0.15550	1.02302	ND	ND	ND
CBGa	0.07693	1.02302	ND	ND	ND
CBG	0.16737	1.02302	< LOQ	< LOQ	< LOQ
CBD	0.28440	1.02302	**1.20**	**12.0**	**360**
THCV	0.06629	1.02302	ND	ND	ND
THCVa	0.05524	1.02302	ND	ND	ND
CBN	0.03008	1.02302	ND	ND	ND
D9-THC	0.14813	1.02302	< LOQ	< LOQ	< LOQ
D8-THC	0.17207	1.02302	ND	ND	ND
CBC	0.11069	1.02302	ND	ND	ND
THCa	0.16900	1.02302	ND	ND	ND
CBCa	0.28051	1.02302	ND	ND	ND
Total CBD			**1.20**	**12.0**	**360**
Total THC			0.00	0.00	0.00
Total Cannabinoids			**1.20**	**12.0**	**360**

ACCREDITED CERT #7425.05
TRUST IN TESTING

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0324-0012895
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0324-IEMU-0004116
Unit Weight: 30.0000g , Sample Size for Testing: 30.0000 g
Batch#: 10010274
MMTC Information
Cultivation Facility: , Processing Facility:

Water Soluble 300mg Nano Cherry Limeade
Ingestible, Emulsion

Microbials

Pass

Sample Prep
Tech: 4516, 4302
SOP: SOP 406-FL
Batch Number: WINCFL-FL0403-0003493
Batch Date: 04/03/2026 10:05

Sample Analysis
Date/Time: 04/06/2026 09:21
Tech: 4302, 4518
SOP: SOP 406-FL
Instrument: AriaMx Real-Time PCR System - 2958 / Balance XSR104 2835 - 2835
Final Weight: 2.031 g
Dilution Factor for Sample: 10

Analyte	Limit (CFU/g)	Result	Status
Yeast & Mold	100,000	ND	Passed
Salmonella	1	Absence	Passed
Aspergillus Flavus	1	Absence	Passed
Aspergillus Fumigatus	1	Absence	Passed
Aspergillus Niger	1	Absence	Passed
Aspergillus Terreus	1	Absence	Passed
STEC E. Coli	1	Absence	Passed

ACCREDITED CERT #7425.05

TRUST IN TESTING

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0324-0012895
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0324-IEMU-0004116
Unit Weight: 30.0000g , Sample Size for Testing: 30.0000 g
Batch#: 10010274
MMTC Information
Cultivation Facility: , Processing Facility:

Water Soluble 300mg Nano Cherry Limeade
Ingestible, Emulsion

Water Activity

Tested

Sample Prep
Tech: 4517
SOP: SOP 407-FL
Batch Number: WMWAFL-FL0402-0006408
Batch Date: 04/02/2026 16:24

Sample Analysis
Date/Time: 04/03/2026 09:14
Tech: 4509
SOP: SOP 407-FL
Instrument: Rotronic Water Activity Meter - 3120 / MOC63u Balance - 2900 / MOC63u Balance
Final Weight: 1.001 g

Analyte	Limit (aw)	aw	Status
Water Activity	0.85	**0.94**	Tested

ACCREDITED CERT #7425.05
TRUST IN TESTING

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0324-0012895
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0324-IEMU-0004116
Unit Weight: 30.0000g , Sample Size for Testing: 30.0000 g
Batch#: 10010274
MMTC Information
Cultivation Facility: , Processing Facility:

Water Soluble 300mg Nano Cherry Limeade
Ingestible, Emulsion

Foreign Matter

Pass

Sample Prep/Analysis
Tech: 4302
SOP: SOP 409-FL
Batch Date: 04/02/2026 13:10

Analyte	Result
FM	Absent

ACCREDITED CERT #7425.05

TRUST IN TESTING

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0324-0012895
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0324-IEMU-0004116
Unit Weight: 30.0000g , Sample Size for Testing: 30.0000 g
Batch#: 10010274
MMTC Information
Cultivation Facility: , Processing Facility:

Water Soluble 300mg Nano Cherry Limeade
Ingestible, Emulsion

Terpenes

Tested

Sample Prep
Tech: 3358, 4509
SOP: SOP 419-FL
Batch Number: WLTRFL-FL0403-0005635
Batch Date: 04/03/2026 14:55

Sample Analysis
Date/Time: 04/06/2026 10:40
Tech: 4509
SOP: SOP 419-FL
Instrument: GC-FID - 3010
Final Weight: 0.415 g
Dilution Factor for Sample: 10

Analyte	LOD (%)	LOQ (%)	%
Total Terpenes			**0.140**
a-Phellandrene	0.001	0.004	**0.136**
b-Caryophyllene	0.001	0.004	**0.00400**
a-Pinene	0.001	0.004	< LOQ
Camphene	0.001	0.004	ND
b-Pinene	0.001	0.004	ND
b-Myrcene	0.001	0.004	ND
d-3-Carene	0.001	0.004	ND
a-Terpinene	0.001	0.004	ND
Limonene	0.001	0.004	ND
Eucalyptol	0.001	0.004	ND
g-Terpinene	0.001	0.004	ND
Terpinolene	0.001	0.004	ND
Fenchol	0.001	0.004	ND
Sabinene Hydrate	0.001	0.004	ND
Linalool	0.001	0.004	ND
Fenchone	0.001	0.004	ND
Isopulegol	0.001	0.004	ND
Camphor	0.001	0.004	ND
Isoborneol	0.001	0.004	ND
DL-Menthol	0.001	0.004	ND
Borneol	0.001	0.004	ND
Terpineol	0.001	0.004	ND
Nerol	0.001	0.004	ND
Pulegone	0.001	0.004	ND
Geraniol	0.001	0.004	ND
Geranyl Acetate	0.001	0.004	ND
a-Cedrene	0.001	0.004	ND
a-Humulene	0.001	0.004	< LOQ
Valencene	0.001	0.004	ND
cis-Nerolidol	0.001	0.004	ND
trans-Nerolidol	0.001	0.004	ND
Guaiol	0.001	0.004	ND
Caryophyllene Oxide	0.001	0.004	ND
Cedrol	0.001	0.004	ND
a-Bisabolol	0.001	0.004	ND

ACCREDITED CERT #7425.05

TRUST IN TESTING

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0324-0012895
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0324-IEMU-0004116
Unit Weight: 30.0000g , Sample Size for Testing: 30.0000 g
Batch#: 10010274
MMTC Information
Cultivation Facility: , Processing Facility:

Water Soluble 300mg Nano Cherry Limeade

Ingestible, Emulsion

Analyte	LOD (%)	LOQ (%)	%
trans-b-Ocimene	0.001	0.004	ND
cis-b-Ocimene	0.001	0.004	ND

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0324-0012895
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0324-IEMU-0004116
Unit Weight: 30.0000g , Sample Size for Testing: 30.0000 g
Batch#: 10010274
MMTC Information
Cultivation Facility: , Processing Facility:

Water Soluble 300mg Nano Cherry Limeade
Ingestible, Emulsion

Residual Solvents

Pass

Sample Prep
Tech: 3358, 4509
SOP: SOP 405-FL
Batch Number: WRSVFL-FL0403-0004340
Batch Date: 04/02/2026 20:43

Sample Analysis
Date/Time: 04/06/2026 11:01
Tech: 4509
SOP: SOP 405-FL
Instrument: GCMS-HS - 3015
Final Weight: 0.101 g
Dilution Factor for Sample: 1

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
1,2-Dichloroethane	0.7	1.0	2.0	ND	Passed
Acetone	2.0	20.0	750.0	ND	Passed
Acetonitrile	2.0	20.0	60.0	ND	Passed
Benzene	0.2	0.4	1.0	ND	Passed
Butane	10.0	20.0	5,000.0	ND	Passed
Chloroform	0.2	0.4	2.0	ND	Passed
Ethanol	20.0	40.0	5,000.0	**342**	Passed
Ethyl Acetate	2.0	20.0	400.0	ND	Passed
Ethyl Ether	20.0	40.0	500.0	ND	Passed
Ethylene Oxide	0.7	2.0	5.0	ND	Passed
Heptane	20.0	40.0	5,000.0	ND	Passed
Hexanes	4.0	8.0	250.0	ND	Passed
Isopropyl Alcohol	20.0	40.0	500.0	ND	Passed
Methanol	20.0	40.0	250.0	ND	Passed
Methylene Chloride	20.0	40.0	125.0	ND	Passed
Pentanes	6.7	13.3	750.0	ND	Passed
Propane	2.0	20.0	5,000.0	ND	Passed
Toluene	2.0	20.0	150.0	ND	Passed
Trichloroethylene	1.0	2.0	25.0	ND	Passed
Total Xylenes	5.0	10.0	150.0	ND	Passed
1,1-Dichloroethene	0.7	2.0	8.0	ND	Passed

ACCREDITED CERT #7425.05
TRUST IN TESTING

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0324-0012895
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0324-IEMU-0004116
Unit Weight: 30.0000g , Sample Size for Testing: 30.0000 g
Batch#: 10010274
MMTC Information
Cultivation Facility: , Processing Facility:

Water Soluble 300mg Nano Cherry Limeade
Ingestible, Emulsion

Mycotoxins

Pass

Sample Prep
Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL0403-0004270
Batch Date: 04/03/2026 14:50

Sample Analysis
Date/Time: 04/06/2026 13:13
Tech: 4509
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2894
Final Weight: 0.109 g
Dilution Factor for Sample: 2.5

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
B1	1.837	9.183	20.000	ND	Passed
B2	1.837	9.183	20.000	ND	Passed
G1	1.837	9.183	20.000	ND	Passed
G2	1.837	9.183	20.000	ND	Passed
Ochratoxin A	1.837	9.183	20.000	ND	Passed

ACCREDITED CERT #7425.05
TRUST IN TESTING

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0324-0012895
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0324-IEMU-0004116
Unit Weight: 30.0000g , Sample Size for Testing: 30.0000 g
Batch#: 10010274
MMTC Information
Cultivation Facility: , Processing Facility:

Water Soluble 300mg Nano Cherry Limeade
Ingestible, Emulsion

Heavy Metals

Pass

Sample Prep
Tech: 4509
SOP: SOP 428-FL
Batch Number: WMTLFL-FL0403-0004487
Batch Date: 04/03/2026 15:35

Sample Analysis
Date/Time: 04/06/2026 16:21
Tech: 4509
SOP: SOP 428-FL
Instrument: ICP-MS - 2837
Final Weight: 0.233 g
Dilution Factor for Sample: 50

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	20.100	100.000	1,500.000	ND	Passed
Cadmium	20.100	100.000	500.000	ND	Passed
Mercury	20.100	100.000	3,000.000	ND	Passed
Lead	20.100	250.000	500.000	< LOQ	Passed

ACCREDITED CERT #7425.05

TRUST IN TESTING

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0324-0012895
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0324-IEMU-0004116
Unit Weight: 30.0000g , Sample Size for Testing: 30.0000 g
Batch#: 10010274
MMTC Information
Cultivation Facility: , Processing Facility:

Water Soluble 300mg Nano Cherry Limeade
Ingestible, Emulsion

Pesticides

Pass

Sample Prep
Tech: 3358
SOP: SOP 424-FL
Batch Number: WPTGFL-FL0403-0003104
Batch Date: 04/03/2026 14:05

Sample Analysis
Date/Time: 04/06/2026 09:33
Tech: 4509
SOP: SOP 424-FL
Instrument: GC-MS/MS - 3005 / LC-MS/MS - 2894
Final Weight: 0.621 g
Dilution Factor for Sample: 2.5 (LCMS), 10 (GCMS)

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	0.008	0.020	0.300	ND	Passed
Acephate	0.009	0.023	3.000	ND	Passed
Acequinocyl	0.009	0.023	2.000	ND	Passed
Acetamiprid	0.002	0.009	3.000	ND	Passed
Aldicarb	0.005	0.018	0.100	ND	Passed
Azoxystrobin	0.002	0.009	3.000	ND	Passed
Bifenazate	0.002	0.009	3.000	ND	Passed
Bifenthrin	0.002	0.023	0.500	ND	Passed
Boscalid	0.009	0.046	3.000	ND	Passed
Carbaryl	0.005	0.009	0.500	ND	Passed
Carbofuran	0.002	0.009	0.100	ND	Passed
Chlorantraniliprole	0.002	0.009	3.000	ND	Passed
Chlorpyrifos	0.009	0.023	0.100	ND	Passed
Clofentezine	0.009	0.023	0.500	ND	Passed
Coumaphos	0.010	0.050	0.100	ND	Passed
Cyfluthrin	0.010	0.100	1.000	ND	Passed
Cypermethrin	0.010	0.100	1.000	ND	Passed
Daminozide	0.009	0.023	0.100	ND	Passed
Diazinon	0.002	0.009	0.200	ND	Passed
Dichlorvos	0.009	0.023	0.100	ND	Passed
Dimethoate	0.002	0.009	0.100	ND	Passed
Dimethomorph	0.003	0.010	3.000	ND	Passed
Ethoprophos	0.002	0.009	0.100	ND	Passed
Etofenprox	0.002	0.009	0.100	ND	Passed
Etoxazole	0.002	0.009	1.500	ND	Passed
Fenhexamid	0.009	0.046	3.000	ND	Passed
Fenoxycarb	0.002	0.009	0.100	ND	Passed
Fenpyroximate	0.005	0.018	2.000	ND	Passed
Fipronil	0.002	0.009	0.100	ND	Passed
Flonicamid	0.005	0.018	2.000	ND	Passed
Fludioxonil	0.005	0.009	3.000	ND	Passed
Hexythiazox	0.005	0.018	2.000	ND	Passed
Imazalil	0.009	0.023	0.100	ND	Passed
Imidacloprid	0.023	0.115	3.000	ND	Passed
Kresoxim Methyl	0.005	0.009	1.000	ND	Passed
Malathion	0.018	0.046	2.000	ND	Passed

ACCREDITED CERT #7425.05
TRUST IN TESTING

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0324-0012895
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0324-IEMU-0004116
Unit Weight: 30.0000g , Sample Size for Testing: 30.0000 g
Batch#: 10010274
MMTC Information
Cultivation Facility: , Processing Facility:

Water Soluble 300mg Nano Cherry Limeade
Ingestible, Emulsion

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Mevinphos	0.008	0.021	0.100	ND	Passed
Metalaxyl	0.002	0.009	3.000	ND	Passed
Methiocarb	0.002	0.009	0.100	ND	Passed
Methomyl	0.002	0.009	0.100	ND	Passed
Myclobutanil	0.005	0.023	3.000	ND	Passed
Naled	0.018	0.023	0.500	ND	Passed
Oxamyl	0.002	0.009	0.500	ND	Passed
Paclobutrazol	0.002	0.009	0.100	ND	Passed
Permethrin	0.009	0.023	1.000	ND	Passed
Phosmet	0.005	0.023	0.200	ND	Passed
Piperonyl Butoxide	0.002	0.009	3.000	ND	Passed
Prallethrin	0.009	0.023	0.400	ND	Passed
Propiconazole	0.009	0.023	1.000	ND	Passed
Propoxur	0.002	0.009	0.100	ND	Passed
Pyrethrins	0.031	0.061	1.000	ND	Passed
Pyridaben	0.002	0.009	3.000	ND	Passed
Spinetoram	0.007	0.016	3.000	ND	Passed
Spinosyn AD	0.009	0.039	3.000	ND	Passed
Spiromesifen	0.002	0.009	3.000	ND	Passed
Spirotetramat	0.005	0.023	3.000	ND	Passed
Spiroxamine	0.002	0.009	0.100	ND	Passed
Tebuconazole	0.009	0.023	1.000	ND	Passed
Thiacloprid	0.002	0.009	0.100	ND	Passed
Thiamethoxam	0.002	0.009	1.000	ND	Passed
Trifloxystrobin	0.002	0.009	3.000	ND	Passed
Captan	0.010	0.100	3.000	ND	Passed
Methyl Parathion	0.010	0.020	0.100	ND	Passed
Chlordane	0.010	0.020	0.100	ND	Passed
Chlorfenapyr	0.010	0.020	0.100	ND	Passed
Chlormequat Chloride	0.002	0.009	3.000	ND	Passed
Pentachloronitrobenzene	0.010	0.050	0.200	ND	Passed

ACCREDITED CERT #7425.05
TRUST IN TESTING

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.